

KILLS HOUSE MICE

EACH BLOCK
KILLS UP TO 12 MICE*

4 DISPOSABLE BAIT STATIONS EACH CONTAINING ONE BLOCK



MOUSE KILLER II
MATA RATONES

This Bait Station is Resistant to Tampering by Children. Use Indoors Only.

- With Bromethalin
- Ready-to-Use
- No Need To Touch The Bait When Placing Station

*Based on no-choice laboratory testing



BAIT PRELOADED INSIDE NON-REFILLABLE STATION

Patent Pending

NET WT. **4 oz**
1 oz x 4 Bait Stations (112 g)

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional precautionary statements.
EPA REG. NO. 12455-123-3240 EPA EST. NO. 12455-WI-1

ACTIVE INGREDIENT:	
Bromethalin (CAS #63333-35-7):	0.01%
OTHER INGREDIENTS*:	99.99%
TOTAL	100.00%

*Contains Denatonium Benzoate



0 48745 23640 7

51AG-3



CAN BE USED HORIZONTALLY OR VERTICALLY



HORIZONTAL



VERTICAL

SEE-THRU LID FOR EASY BAIT MONITORING



DISPOSABLE



KILLS HOUSE MICE



MOUSE KILLER II
MATA RATONES

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.**

This product may only be used to control house mice. TOMCAT MOUSE KILLER II bait station must be used in buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station at highest point of activity along a wall or in corner where signs of house mice have been seen. If additional units are to be used, place bait stations at intervals of 8 to 12 feet. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are signs of house mouse activity in infested areas. Replace bait station when bait is consumed or contaminated.

Follow-up: Wearing gloves, collect and properly dispose of any emptied bait stations or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

• Call a poison control center, doctor, or 1-877-854-2494, or 1-800-858-7378** immediately for treatment advice.

• Have person sip a glass of water if able to swallow.

• Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

• Wash with plenty of soap and water.

** Also call this number for information on health concerns and pesticide incidents.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and other mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not use this product directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent permitted by applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material. Use and/or handling is contrary to label instructions. 031113/xx-xx

Available Exclusively From:
MOTOMCO
3699 Kinsman Blvd.,
Madison, WI 53704 U.S.A.



www.motomco.com

SPECIMEN