

# REFILLABLE BAIT STATION

# **TOMCAT**

**4** ONE OUNCE  
REFILLS



**CAN BE USED IN  
A VARIETY OF  
LOCATIONS**

# **TOMCAT**



## **MOUSE KILLER III**

### **MATA RATONES**

This Bait Station is Resistant to Tampering  
by Children. Use Indoors Only.



**LOAD 1  
BLOCK INTO  
REFILLABLE  
STATION**

Bait must always  
be used in this  
bait station

- **1 Refillable Bait Station**
- **4 Bait Refills**
- **Station is Child Resistant**



**MADE IN USA**



*Patent  
Pending*



**BEHIND APPLIANCES**



**IN ATTICS**



**INSIDE CABINETS**



**GARAGES**



**BASEMENTS**

Must adhere to the USE  
RESTRICTIONS in the DIRECTIONS  
FOR USE section of this label.

## **NET WT. 4 oz (112g)**

**4 x 1oz Block Bait & 1 Refillable Bait Station**

**KEEP OUT OF REACH OF CHILDREN**

### **CAUTION**

ACTIVE INGREDIENT: Bromethalin (CAS #63333-35-7):	0.01%
OTHER INGREDIENTS*:	99.99%
<b>TOTAL</b>	<b>100.00%</b>

\*Contains Denatonium Benzoate

See back panel for First Aid and additional precautionary statements.

EPA REG. NO. 12455-129-3240

EPA EST. NO. 12455-WI-1

# REFILLABLE BAIT STATION



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

## USE RESTRICTIONS:

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.**

For control only of house mice. This bait station can only be refilled with the block bait sold with this station. TOMCAT MOUSE KILLER III must be used in buildings with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored bait blocks in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store bait block refills out of reach of children and pets.

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

## APPLICATION DIRECTIONS:

While wearing gloves, place one block of bait in the bait station. See additional GRAPHICS AND TEXT. Place the bait station at highest point of activity along a wall or in corner where mice or their signs have been seen. If additional units are to be used, place bait stations at 8 to 12 foot intervals. While wearing gloves, replace bait in bait station when bait is consumed or contaminated. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease in infested areas.

**Follow-up:** Wearing gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**USER SAFETY REQUIREMENTS:** As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### FIRST AID

**HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE**

**IF SWALLOWED:**

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

**IF ON SKIN:**

- Wash with plenty of soap and water.

### TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets.

**Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

**If Empty:** Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

091012/06-12

Available Exclusively From:

**MOTOMCO**

3699 Kinsman Blvd.  
Madison, WI 53704 U.S.A.



MADE IN USA

[www.motomco.com](http://www.motomco.com)

# TOMCAT

## LOADING BAIT INTO STATION

### 1 REMOVE BAIT CARTRIDGE FROM BOTTOM OF STATION



With your left hand push tab up.



While still holding tab, squeeze prongs of bait cartridge and pull away from station.

### 2 LOAD BAIT



Place bait into cartridge.



Push cartridge into station until it clicks into place.