




# SPECIALLY FORMULATED TO TARGET AND CONTROL **GROUND SQUIRRELS**



Tomcat Ground Squirrel Bait is an effective bait for economical control of California Ground Squirrels around homes, buildings and other agricultural structures. It's specifically formulated to kill California Ground Squirrels to help prevent damage that burrowing causes to plants, crops and equipment.

- Specifically formulated to control California Ground Squirrels
- 0.005% (50ppm) Diphacinone, a proven anticoagulant active ingredient
- For use inside a bait station, within 100 feet of man-made structures
- Highly palatable formula that competes with Ground Squirrels' natural food source
- Approved for control of California Ground Squirrels in 9 states: California, Oregon, Washington, Wyoming, Utah, Nevada, New Mexico, Arizona and North Dakota"








ITEM CODE	PRODUCT DESCRIPTION	UPC	PALLET QTY
32304	Tomcat Ground Squirrel Bait 5lb	0 4874532304 6	224
32312	Tomcat Ground Squirrel Bait 12lb	0 4874532312 1	80



THE WORLD LEADER IN RODENT CONTROL TECHNOLOGY® 3699 Kinsman Blvd., Madison, WI 53704 U.S.A. • (800) 418-9242 www.motomco.com

## **KNOW WHEN TO BAIT**

### LIFE CYCLE OF THE CALIFORNIA GROUND SQUIRREL – MANAGEMENT CALENDAR



Baits are most effective during this period

Adapted from the UC Ground Squirrel BMP website http://ucanr.edu/sites/Ground\_Squirrel\_BMP/

- Ground Squirrel behavior may vary based on climate, geography, and seasonal changes
- Baits are most effective when squirrels are actively feeding and competing food sources are less available
- Always follow label instructions

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets
- 2. Apply bait in secured, tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. Units must be secured or otherwise immobilized.
- Dispose of product container and unused, spoiled, or unconsumed balt as specified on this label.

Do not sell this product in individual containers holding less than 4 pounds of bait.

### CALIFORNIA GROUND SQUIRRELS

USE RESTRICTIONS: This product may be used for the control of the California ground squirrel (Spermophillus beechyi). Product may only be applied within 100 feet of man-made structures. Examples of such structures include homes and other permanent or temporary residences, lood processing facilities, industrial and commercial buildings, agricultural and public buildings, and related structures around and associated with these sites. Bait must be placed in secured, tamper-resistant bait stations.

### APPLICATION DIRECTIONS:

Place and secure tamper-resistant bait stations near active burrows or in other locations where activity of California ground squirrels is evident. Space these bait stations at intervals of 20 to 75 feet in areas infested by California ground squirrels. Apply 2–4 pounds of bait per bait station. Check bait stations every 2–3 days, or more frequently, for signs of bait consumption and possible problems in the treated area. Replenish bait stations as necessary to maintain a continuous supply of bait but not to exceed 4 pounds of bait in any one station. Continue baiting until there no longer are signs of feeding on bait by California ground squirrels.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets.

All handlers (including applicators) must wear: shoes plus socks, and gloves. Any person

who retrieves carcasses or unused bait following application of this product must wear

waterproof gloves.

## Мотемо FARM & HOME



KILLS CALIFORNIA GROUND SQUIRRELS

ACTIVE INGREDIENT: Diphacinone (CAS #82-66-6): OTHER INGREDIENTS:

..... 0.005% ..... 99.995% TOTAL 100.000%

# CAUTION

See side panels for First Aid and additional precautionary statements.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals

Pesticide Disposal: Dispose of wastes resulting from the use of this product in
trash or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. [Plastic:] Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed.

### Net Weight: 5 lbs (2.2 kg)

EPA REG. NO. 12455-145-3240

EPA EST. NO. 12455-WI-1

MOTOMCO

3699 Kinsman Blvd. Madison, WI 53704 U.S.A. www.motomco.com MADE IN USA

The World Leader In Rodent Control Technology®

#### User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

### FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- . Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

### NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-877-854-2494 at once.

NOTE TO VETERINARIAN

Anticoagulant Diphacinone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.

### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

6941507-15

