

RESTRICTED USE PESTICIDE

Due to Hazards to Non-target Species

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL

For Distribution and Use Only in the State of Wyoming

ZP® AG Oats

EPA Reg. No. 12455-102-3240

EPA SLN No. **WY-18-0002**

For Control of Prairie Dogs on Rangeland and Adjacent Timber

Only for Uses and Application Methods on this 24(c) SLN Label

This label valid until **December 31, 2026** or until otherwise amended, withdrawn, canceled, or suspended.

ACTIVE INGREDIENT

Zinc Phosphide CAS#1314-84-7

.....

2.0%

OTHER INGREDIENTS

.....

98.0%

TOTAL

.....

100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Section 24(c) SLN Registrant:



Bell Laboratories, Inc.
3699 Kinsman Blvd.
Madison, WI 53704

FIRST AID

If Swallowed:	• Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice, or transport the person to the nearest hospital. • DO NOT DRINK WATER. • Do not administer anything by mouth or induce vomiting unless told to do so by the poison control center or doctor.
If on Skin or Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
If Inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
If in Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. • Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered, and cardiac and circulatory stimulants given.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian, or **1-877-854-2494** at once.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals, and pets. Harmful if swallowed, absorbed through the skin, inhaled, or in eyes. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids. Wash all utensils, spoons, or measuring devices thoroughly after using.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All handlers, including loaders and anyone who applies bait and retrieves carcasses and unused bait, must wear waterproof gloves.

USER SAFETY REQUIREMENTS

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing them. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet, and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals, birds, and other wildlife. Dogs, cats and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to intertidal areas below the mean high-water mark. Do not allow bait to be exposed on soil surface. Do not contaminate water when disposing of equipment wash water or rinsate.

PHYSICAL-CHEMICAL HAZARDS

Do not use with or store near any oxidizing agents.

ENDANGERED SPECIES CONSIDERATION

Notice: The use of this product may pose a hazard to Federally designated endangered/ threatened species. It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State Agency for current information on habitats occupied by endangered species.

Whooping Crane (*Grus americana*). Do not use this product in habitats occupied or occasionally visited by whooping cranes during the period from 30 days before the expected arrival of cranes to 30 days after the time of their usual departure.

Black-footed Ferret (*Mustela nigripes*). Do not use this product within 7 kilometers (4.34 miles) of any prairie dog town to limit risks to the black-footed ferret from exposure to Zinc Phosphide or destruction of its prey base, unless the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed prairie dog town less than 200 acres in size, or unless the town had been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found by the FWS not to be suitable site for ferret reintroductions.

Gray Wolf (*Canis lupus*) and Grizzly Bear (*Ursus actos horribilus*). Unless the local U.S. Fish and Wildlife Service office has determined that there are no gray wolves or grizzly bears in the general vicinity of bait applications in Montana and Wyoming, do not apply this product outdoors within occupied habitat of these species.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Section 24(c) SLN label and the Section 3 package label for ZP® AG Oats (EPA Reg. No. 12455-102-3240) must be in possession of the user at the time of application. All applicable directions, restrictions, and precautions on the package label and on this SLN label must be followed.

Use Restrictions:

For control of black-tailed prairie dogs (*Cynomys ludovicianus*), white-tailed prairie dogs (*Cynomys leucurus*) in rangelands, adjacent non-crop areas, and adjacent timber areas in Wyoming only. This product may be used to control prairie dogs from March 1 through December 31.

Before baiting for prairie dogs, contact the U.S. Fish and Wildlife Service (FWS) office in Cheyenne, WY at (307) 772-2374 to determine whether a black-footed ferret survey is required.

Apply toxic bait no more than once per season. Apply toxic bait only at times of year when target species are accepting grain readily.

Do not apply this product to croplands. Do not apply this product on roads, near residential or public use areas, or over water. Do not apply this product at any location where endangered species occur or where consumption of prebait by nontarget wildlife is observed.

Application Directions:

Pre-baiting

When bait is used to control prairie dogs, pre-baiting with untreated steam crimped oats at a rate of 4 grams (one teaspoon) per mound, one or two days prior to baiting, to increase acceptance of treated baits by prairie dogs and ground squirrels.

Baiting

Apply bait only after all or most of prebait is eaten and only to areas where untreated bait was consumed. Establish observation period during pre-baiting. Apply bait by hand as a six-inch bait spot on edge of each mound, burrow opening, or in adjacent feeding areas. Application rate should not exceed 4 grams (one teaspoon) per bait spot. Dispose of spilled or unwanted bait by burial.

Rev. 07-07-2023

Section 24(c) SLN Registrant:



Bell Laboratories, Inc.
3699 Kinsman Blvd
Madison, WI 53704

Distributed by:



Bell Laboratories, Inc.
3699 Kinsman Blvd
Madison, WI 53704